

ver you go,  
e whole  
along with

re a casual  
ith an ear for SW  
om all six continents  
stener who delights  
ombing the bands  
d music from the far  
e world... a  
xotic "QSL" cards  
operator needing a  
ral coverage receiver  
nd broadcast  
Command Series  
offers memorable  
n high adventure.  
that in addition to  
bilities, SW  
ends on critical  
as ionospheric  
ntenna efficiency

## RF-2200

8-Band FM/AM/Shortwave Radio  
with Disc-Type Frequency Display

- Superb sensitivity and selectivity over FM/AM and six SW bands spanning 3.9 - 28 MHz.
- All-gear drive system interlocks main and bandspread tuning dials (no backlash)
- Frequency-linear variable capacitor as used in professional equipment
- Two tuning speeds — bandspread dial marked in 10 kHz segments: wide/narrow band switch
- Two crystal markers (500 kHz/125 kHz) provide easy, precise means of calibration
- Double superheterodyne system reduces interference and improves stability
- AFC switch for drift-free FM reception
- BFO switch for reception of SSB and CW transmissions (ham operators, etc.)
- RF gain control: bass/treble tone controls
- Signal strength/battery check meter
- Gyro-antenna rotates 180° to aid tuning
- Complete with shoulder strap, earphone and AC power cord
- Operates on four "D" size batteries, not included

## RF-2600

6-Band FM/AM Shortwave Radio  
with Digital Frequency Display

- 5-digit fluorescent display for precise frequency read-out on SW, FM and AM bands
- Shortwave coverage 3.9 - 28 MHz divided into four bands of 6 MHz
- I2L circuitry ensures accurate tuning, precise down to 1 kHz, and stable standby
- Separate bass and treble tone controls
- BFO pitch control fully variable for clear reception of upper and lower sideband signals and CW transmissions
- Calibrator for checking SW frequencies
- Wide/Narrow bandwidth switch
- Double superheterodyne system for superior sensitivity and selectivity
- RF gain control: AFC switch for drift-free FM
- Tuning/battery check meter
- Complete with shoulder strap, earphone and AC power cord
- Operates on six "D" size batteries, not included

## RF-2900

5-Band FM/AM/Shortwave Radio  
with All-Band Digital Frequency Display

- An outstanding multi-band portable that truly represents the state of the art in technological sophistication
- FM/AM reception is superb: SW performance over the 3.2 - 30 MHz spectrum is astonishing for this size radio
- 5-digit fluorescent display of precise frequency readings in bright green numerals: also conventional tuning dial
- New, advanced I2L circuitry assures digital accuracy down to 1 kHz — closer than you'll probably ever need
- Precisely accurate tuning because professional-quality all-gear drive system

interlocks main and bandspread dials to eliminate backlash

- BFO pitch control is fully variable from upper to lower sideband signals for SSB reception
- Double superheterodyne system
- RF gain control, tuning/battery strength meter, AFC for drift-free FM reception
- Complete with earphone, shoulder strap and AC power cord
- Operates on six "D" size batteries, not included

## RF-4900

10-Band (FM/AM/SW<sub>1</sub>-SW<sub>8</sub>)  
Communications Receiver

- A true communications receiver with performance capability to satisfy the serious shortwave listener or "ham" operator
- Direct frequency readout with electronic digital green display on all bands, precise within 1 kHz
- SW coverage 1.6 - 30 MHz, double conversion system, all bands except 1.6 - 3 MHz
- Frequency-linear 3-gang variable capacitor and equal (approx. 4 MHz) bandwidths
- All-gear drive mechanism interlocks main and bandspread tuning dials, eliminates backlash, ensures accurate tuning
- Special pre-mix system includes low-frequency variable oscillator and high-frequency mixer circuitry for extra stability even on the high frequency bands
- Ladder-type ceramic filters for more effective selectivity on busy bands
- Cross modulation reduced by FET technology
- Tuned RF amplifier; RF gain control
- Antenna trimmer, with antenna circuits completely separate from VFO
- I2L circuitry makes possible operation on self-contained batteries at only 1/40th of regular power consumption
- Complete with AC power cord, headphone converter and earphone
- Operates on eight "D" size batteries, not included



RF-2200

RF-2600

RF-4900

RF-2900